

**tts** performance suite

# Creator 1.x.x to 2.x.x Migration Guide - tts performance suite 2025r2



.....



## Contents

|          |                                                                 |          |
|----------|-----------------------------------------------------------------|----------|
| <b>1</b> | <b>Migrate from 1.x.x to 2.x.x.....</b>                         | <b>3</b> |
| 1.1      | Required changes in curator application-config.properties ..... | 3        |
| 1.1.1    | Update ttkf.server.businessguidancecreator.endpoint.....        | 3        |
| 1.2      | Required changes in creator application-config.properties ..... | 3        |
| 1.2.1    | Replace creator.curator-address .....                           | 3        |
| 1.2.2    | Add creator.curator.version .....                               | 3        |
| 1.2.3    | Add creator.templates.location .....                            | 3        |

# 1 Migrate from 1.x.x to 2.x.x

Upgrading from Creator 1.x.x to 2.x.x requires some configuration changes.

## 1.1 Required changes in curator application-config.properties

### 1.1.1 Update ttkf.server.businessguidancecreator.endpoint

The required value for `ttkf.server.businessguidancecreator.endpoint` depends on the combination of the Curator and Creator version:

| Curator version | Creator version | <code>ttkf.server.businessguidancecreator.endpoint</code>                        |
|-----------------|-----------------|----------------------------------------------------------------------------------|
| 2022            | 1.x.x           | <code>https://&lt;creator-domain&gt;:&lt;port&gt;/creator/v1/session/open</code> |
| 2022            | 2.x.x           | <code>https://&lt;creator-domain&gt;:&lt;port&gt;/creator/v1/session/open</code> |
| 2022r2 or newer | 1.x.x           | <b>COMBINATION NOT SUPPORTED</b>                                                 |
| 2022r2 or newer | 2.x.x           | <code>https://&lt;creator-domain&gt;:&lt;port&gt;/creator</code>                 |

## 1.2 Required changes in creator application-config.properties

### 1.2.1 Replace creator.curator-address

`creator.curator-address` must be replaced with `creator.curator.internal-address` and `creator.curator.external-address`.

| Old format                           | New format                                    | Description                                                         |
|--------------------------------------|-----------------------------------------------|---------------------------------------------------------------------|
| <code>creator.curator-address</code> | <code>creator.curator.internal-address</code> | Internal Curator address which is reachable from the Creator server |
| <code>creator.curator-address</code> | <code>creator.curator.external-address</code> | External Curator address which is reachable from a browser          |

### 1.2.2 Add creator.curator.version

`creator.curator.version` must contain the version of the Curator that is used together with the Creator, e.g. 22.0 or 22.1.

### 1.2.3 Add creator.templates.location

`creator.templates.location` must contain an absolute path to the directory that contains the Creator templates that were released together with the Creator .war file, e.g. `file://home/user/creator-templates`.