



Content transports

Keep reading to discover more about how to transport course or topic structures, document or role trees from one Curator to another Curator.

It's possible to migrate complete course or topic structures, document or role trees from one Curator to a different Curator in the form of a content transport. All Producer documents and metadata are copied when this is done using the default setting.

-  Please note that you require extensive user rights for both servers in order to be able to carry out this migration.
-  Please ensure that no other user accesses or changes the objects in question during the content transport (export and import).

1 Creating a content transport

Create new content transport
English (US) ▼

1

Settings


This transport is for exporting the selected objects as a ZIP file containing all necessary information and resources, such as structures, files and configurations. Once completed, you can download the file to import the content into another Document Management server. Please specify the title, description, version and technical name of the transport. You also have the option of protecting all the documents included in the ZIP. The export will start in the next step and a monitor will display the current status.

Here you can create a new transport containing content and structures.

| | |
|--|---|
| Title: | <input type="text" value="Topic A-1"/> |
| Description: | <input style="height: 20px;" type="text"/> |
| Version: | <input type="text"/> |
| Protection: | <input type="checkbox"/> Edit properties <input type="checkbox"/> View content <input type="checkbox"/> Edit content <input type="checkbox"/> Create variant |
| The selected actions won't be available for these documents on the other server. | |
| Export options: | <input checked="" type="checkbox"/> Export assigned documents <input checked="" type="checkbox"/> Export assigned roles |
| Technical name : | <input type="text"/> |

< Back
Next >
Cancel

Here you can see the possible settings for the creation of a content transport. The assignment of a **title** and a **technical name** is obligatory, whereas the **description** and the **version** are optional.

-  The protection options allow you to define whether the documents and structures that are to be inserted into the target Curator from the content package are to be subject to

any restrictions. If you activate any of these checkboxes, the corresponding function will be blocked. The following rights can be denied:

- Edit properties
- View content
- Edit content
- Create variant

The **export options** allow you to disable the 'Export assigned documents' and the 'Export assigned roles' options by deselecting the corresponding checkboxes.

2 Importing a content transport

Import a content transport

2

Settings

Please specify the document type and map the source repositories to a target one. You also have the option of defining the import options. Confirmation will follow in the next step. The import will then be started and you can monitor the current status.

Attention! You are about to import content and structures to the same server from which the transport package was exported.

Here you can define the import settings.

| | | | | |
|---|---|-------------------|----------------------|-------------------|
| Title: | Topic A-1 | | | |
| Technical name: | TopicA1 | | | |
| Map documents: | Source document type | Source repository | Target document type | Target repository |
| | Document | Documents | Document ▼ | Documents ▼ |
| Here, you need to map all source document types, as well as all source repositories of the documents you are about to import, to the appropriate structures on the target system. | | | | |
| Map placeholders: | Source document type | | Target document type | |
| | Document | | Document ▼ | |
| For all placeholder documents, you have to map a document type on the target system for each document type on the source system. | | | | |
| Import options: | <input type="checkbox"/> Overwrite properties of objects already imported <input type="checkbox"/> Replace content of existing objects | | | |

Here you can see the possible settings for the import of a content transport. If necessary, you can specify the **target document type** to which the imported documents are to be assigned. Furthermore, you can also define the **target repository**. Several source repositories can be listed here, depending on the nature of the content package. Please note that you also need to define a separate repository on the target Curator for every document repository (in the event that there are not enough repositories, you need to create additional repositories on the target Curator before starting the content transport again).



Finally, the **import options** allow you to define the course of action that is to be taken in the event of an import conflict. This will then come into effect if the same import has already been performed in the past. You can separately control whether the **properties of objects already imported** are to be overwritten when imported again. Furthermore, you can also specify whether the **content of existing objects** is to be replaced by the imported content or not.