

tts performance suite

System Requirements



.....

RELEASE 2021

Imprint

Copyright © tts Knowledge Products GmbH. All rights reserved.
System Requirements - tts performance suite 2021
13 August 2021 – Version 1.03

Contents

1	Producer.....	1
1.1	Hardware	1
1.2	Software	1
1.3	Single Sign On	3
1.4	Third party software	3
1.5	Technology	4
1.6	Installation.....	5
1.7	Working with Citrix	6
1.8	General information on Citrix and MS terminal server	7
2	tts performance suite – Content	8
2.1	Hardware	8
2.2	Software	8
2.3	WBTs on Apple iPad	9
2.4	Technology	9
2.5	Installation.....	10
2.6	Storage of training data.....	10
2.7	Browser settings.....	10
2.8	Use of SmartComponents.....	10
2.9	Network bandwidth used when playing WBTs	10
2.10	HTML5 export	13
3	QuickAccess (QA)	14
3.1	Software	14
3.2	Push Notifications	14
3.3	QA for SAP	14
3.4	Web-QA	15
3.5	Working with Citrix	15
4	Object recognition	16
4.1	General	16
4.2	Object recognition for standard applications.....	16
4.3	Object recognition in SAP GUI	17

4.4	Object recognition in cross-platform and cross-language cases	21
4.5	Object recognition for JAVA applications.....	21
4.6	Object recognition for third-party and custom-built applications.....	23
5	Curator.....	23
5.1	Minimal requirements	23
5.2	Software	23
5.3	Hardware	24
6	Server components.....	24
6.1	Hardware	24
6.2	Software	24
6.3	Technology	25
6.4	Installation.....	25
6.5	LDAP	25
6.6	SAML	26
6.7	Third-party software.....	27
7	Open-source products	28
7.1	Server	28
7.2	Client	40
7.3	Default Player.....	45
7.4	HTML5-Player	45
7.5	Step List-Editor.....	45

1 Producer

1.1 Hardware

Component	Requirement
Processor	Minimal: Single-core 2.6GHz Recommended: Dual-core 2.6GHz
Memory	Minimal: 4 GB Recommended: 8 GB (for 64bit operating systems)
Free space	~1000 MB for program data
Screen resolution	Minimal: 1024 x 768 Recommended: 1920 x 1080
Multimedia hardware	16-bit sound card and speakers or headphones

1.2 Software

Component	Requirement
Operating system	Windows 8.1 <ul style="list-style-type: none">- (only Windows Desktop, no Metro Interface, no apps)- latest updated needs be installed. Windows 10
Additional software	Microsoft Visual C++ Redistributable Package
Browser	Internet Explorer 11
Browser settings	JavaScript needs to be activated
Permissions	Administrator rights are required during installation; however, there will be no changes to the system folder. The Producer makes use of the Chromium project by Google. In order to ensure the proper execution of the client, the operating system and third party security tools need to enable the execution of Chromium processes.

Please note that it is required that all components that take part in the end-to-end-communication (i.e. Producer to and from the server component(s), as well as end-user to and from the server component(s)) support at least HTTP protocol version 1.1.

Please note that in order to use all functionality of the Producer policies must allow the Producer process to start an external process named "Gifcreator.exe".

Please note that for proper functionality of the tts performance suite the windows display-zoom needs to be set to 100%.

1.2.1 Optional software components

Depending on the use case of the **tts performance suite**, additional software-components are required.

1.2.2 Export formats

- .doc
- .html
- .pdf

Use case	Requirement
Output formats for MS Office	MS Office 2007 or MS Office 2010 or MS Office 2013 or MS Office 2016 or MS Office 2019 Attention: The evaluation version of MS Office 2010 is not supported!
Word import and export	MS Office 2007 or MS Office 2010 or MS Office 2013 or MS Office 2016 or MS Office 2019 Attention: The evaluation version of MS Office 2010 is not supported.
PowerPoint import and export	MS Office 2007 or MS Office 2010 or MS Office 2013 or MS Office 2016 or MS Office 2019 Attention: The evaluation version of MS Office 2010 is not supported!
Text-to-speech	The text-to-speech engine needs to support SAPI 5; The Producer supports Readspeaker and Acapela via Voice-as-a-Service natively.
Multimedia support	The following components need to be installed in case of the Internet Explorer: Windows Media Player-Plug-in or -ActiveX Control from version 7.1 (usually included in Internet Explorer) and MP3-Codec "Fraunhofer MPEG Layer-3 Codec"

1.2.3 Video Export

In order to use encode the video of an Elearning, that is recorded as a WebM-video, as MP4 customers need to make sure that the required library ("FFmpeg") is available and properly licenced by the customer. Neither this library, nor the corresponding licence, is part of the Producer.

1.3 Single Sign On

In order to make use of Single-Sign-On-Mechanisms with the Producer the protocol needs to be NTLM; other methods of authentification are currently not supported in the client scenario.

1.4 Third party software

McAfee

Please note that a locally used virus scanner from McAfee may reduce the performance of the authoring component.

You are advised to change the anti-virus program's settings so the tt knowledge force installation folder is excluded from the scanning process.

HP Quicktest

Please note that HP Quicktest can only be installed on the same computer as the authoring software under specific conditions: the user under which the authoring software is launched may *not* have reading permissions to the folder in which the Quicktest executable resides.

HP Sprinter

Please note that the installation will cause write access problems to the Producer profile folder which may result in a failure to load the WYSIWYG view.

Check Point

Please note that the virus scanner from Check Point End Security may strongly reduce the performance of the tt knowledge force client.

Desktop Management Software

In case of using multiple monitors supported by desktop management software (for instance ATI Hydravision), this can cause problems with the object recognition during (re-)recording and guiding through applications.

Bamboo Drivers

As soon as Bamboo-drivers for drawing tablet and the corresponding pen are installed these drivers will interfere with the correct display and object-recognition.

Microsoft Snipping Tool

As long as this tool is running it will interfere with correct object-recognition needed for recording as well as playing content.

Microsoft Security Policies

If you experience problems with editing in the WYSIWYG View (i.e. no editing possible) please check if the MS Security Policy "Local Machine Lockdown" is enabled. If so, please disable this policy.

1.5 Technology

The associated Java VM is included in the installation package and therefore does not have to be pre-installed. Java VMs which are installed in parallel do not impact on the software's executability.

1.6 Installation

The installation via a setup routine does not copy files to the Windows or System directories. During setup, the software is registered as an installed program, the program files are copied and the following file types are registered:

- **.ttcp** (tt content package) – document source archive which contains the sources and resources associated with a document; based on the ZIP format
- **.ttlk** (tt license key) – automatically installs the license file with a double-click
- **.ttcfg** (tt configuration package) – archive containing the configuration-specific data
- **.ttlkr** (tt license key request) – file containing the request for a local license key.
- **.ttop** (tt options) – transport file for user preferences
- **.ttscp** (tt smart component package) – transport file for SmartComponents

Special note for the Windows 8 (or newer) operating system

When User Account Control (UAC) is activated, the recording of, as well as the guidance through programs or processes that require administrator rights can only be accomplished if the Producer and/or the Quick Access also run with administrator rights.

Special note for environments with activated Windows-group-policy: "Security zones use only machine settings"

In order to guarantee proper functionality of our software this policy needs to be set to the default-value (deactivated), or the following Registry-Values need to be set:

64 Bit Windows:

```
[HKEY_LOCAL_MACHINE\Software\Wow6432Node\Microsoft\Internet Explorer\MAIN\FeatureControl\FEATURE_BROWSER_EMULATION]
"TTKnowledgeForceBrowser.exe"=dword:0000270f
```

32 Bit Windows:

```
[HKEY_LOCAL_MACHINE\Software\Microsoft\Internet Explorer\MAIN\FeatureControl\FEATURE_BROWSER_EMULATION]
"TTKnowledgeForceBrowser.exe"=dword:0000270f
```

Our tt knowledge force installer tries to set the above mentioned values during the installation process.

1.6.1 Placing the authoring environment's profile folder on a UNC path

If the profile folder of the Producer is installed on a UNC path, it must be ensured that the corresponding server is set to the "Intranet" security zone in the Internet Explorer security settings. This is required irrespective of whether the profile folder is addressed via UNC path,

or as a "connected network drive". If all relevant endpoints are members of a windows domain, these security settings are not relevant, or more precisely, are set automatically by IE. If all UNC paths are automatically assigned to the "Intranet zone" via a global security policy, no manual adjustment is required. Please also note that in this case, the performance of the tt knowledge force client is highly dependent on the network performance, so that performance impacts may occur.

1.6.2 Running the Producer with activated proxy

In case that a proxy is configured it is necessary to exclude "localhost" / "127.0.0.1" from the access via proxy. This can be done in the Internet Explorer: Internetoptions -> Connections -> LAN-Settings -> in the area "Proxyserver". Here the option "Exclude Proxyserver for local addresses" needs to be checked.

1.7 Working with Citrix

There are two main scenarios to gain access to a Citrix system: Namely access via a Browser-Plugin or an explicit, locally installed, application: "Citrix Workspace". The set of supported features depend on the set-up and are described below.

1.7.1 Browser-Plug-In

In case of the Browser-Plug-In-Approach one can differentiate between a "virtual desktops" and individual virtual applications. For both cases different features are supported, which are described below.

1.7.1.1 Virtual Desktop

Both, the **Producer** as well as the **Quick Access**, are fully functional and record and discover contexts within the same virtual desktop.

1.7.1.2 Virtual Application

We do not recommend or support this scenario for the use of **Producer** and/or **Quick Access**, since each application will be openend within it's own browser-tab. The individual tabs are isolated, preventing inter-application-communication such that object- and context recognition functionality will not be available in this set-up.

1.7.2 Citrix Workspace

In the virtual application szenario both, the **Producer** as well as the **Quick Access**, are fully functional to record and discover contexts if the supported application is running as a "virtual application" on the same machine and inside the same user-session as well.

Exception 1

Producer run on a local PC or virtual desktop and each target application runs as a virtual application. In this scenario, object and context recognition are not supported.

Exception 2

The Citrix VDA is part of a server farm, and applications that are started are distributed to

various servers via load balancing (automatic load distribution). In this scenario, it may happen that the Producer and/or Quick Access and the target application that is to be recorded are opened on different VDAs. When this happens, our clients cannot establish a connection with the target application, thus object and context recognition are impossible.

How to bypass this problem for content creation: All authors who use Producer to record, log on to a dedicated server. Alternatively, it would also be possible to use a group policy to make a particular server always available to a user group.

1.8 General information on Citrix and MS terminal server

In such environments, it is often the case that the users' profile sizes are restricted to 20 MB. However, due to technical reasons, this is not sufficient to operate tt knowledge force.

How to bypass this problem: A central configuration file can be used to re-route the directories required by tt knowledge force so that they are no longer in the user profile. In doing so, you need to ensure that this configuration is performed centrally for all users in a terminal server environment. Here, for example, it's a good idea to use a "home drive H:" (or similar), which is made available to each user via mapping. Rerouting to an identical drive for several users is not possible and would also not be a good idea due to reasons relating to data privacy protection. Rerouting to UNC paths \\Server\Release\Directory is not supported. With an average document size of ~3 MB (without sound), as well as ~10MB of local configuration data, we recommend making at least 50-100 MB of disk space available to each author.

2 tts performance suite – Content

The following requirements need to be met in order to play a WBT:

2.1 Hardware

Component	Requirement
Processor	Minimal: from 1.0 GHz Recommended: 1.5 GHz or more
Memory	Minimal: 512 MB Recommended: 1 GB
Screen resolution	Depends on the size of the application that is recorded and the content that is produced. However, at least approx. 100 pixels higher than the recording resolution because parts of the browser interface have to be visible (Internet Explorer). 16-bit color depth
Multimedia Hardware	16-bit sound card and speakers or headphones

2.2 Software

Component	Requirement
Operating system	Windows 8 or 8.1 or Windows 10
Browser	Internet Explorer 11 Edge 89 on Windows 10 Firefox 86 Safari 14.0 Chrome 89 Attention: Please note that due to the different technological basis, minor differences in the display of content between Internet Explorer and Firefox, Safari and Chrome might occur. Attention: Please note that Flash content is not supported in the Safari browser. Attention: Please note that due to a security feature in new Firefox versions, it is no longer possible to redirect at the end of a learning-object (LO) (which is loaded via an encrypted connection) to a non-secure site. In this case, the LO will not close and no progress will be stored. Attention: Please note that due to a browser security feature, locally stored content cannot be played back in Chrome. Attention: Please note that due to browser security policies the glossary is not available on locally accessed content (IE and Chrome). Attention: Please note that the privacy-modes of the browsers are not supported.

	<p>Attention: Please note that in case a host, on which an E-Learning is started, has set specific options for compatibility-view and the topmost window does not contain the "X-UA-Compatible" meta tag, the exported content will not be displayed correctly.</p> <p>Attention: Please note that devices, which work with "touch-interactions" (e.g. tablets, phones, hybrid-notebooks) are not supported.</p>
Browser settings	JavaScript and session cookies have to be activated.
Multimedia support	<p>Audio: always uses native HTML5-Audio element Video: always uses native HTML5-Video element</p> <p>Attention: Please note that due to increasing browser restrictions, the automatic playback of videos containing a sound-track can not be guaranteed on all browsers.</p>

2.3 WBTs on Apple iPad

Automatic playback of sounds on iPad

Apples policy on the play back for multimedia content is that a specific user interaction is required in order to initiate the playback.

This policy has the following consequences for automatic playback of multimedia content embedded in tt knowledge force learning objects:

- only the first sound on a page can be played automatically
- all additional sounds on that page will not be played automatically, even if the learning object is designed that way and it works in other browsers
- if more than the first sound is to be played on one page, the rest needs to be initiated by a trigger
- sounds on the very first page of a learning object cannot be played automatically at all
- if a learning object is opened with the "resume" function at a step that is not the very first one, the sounds on that step cannot be played automatically
- it is not recommended to use sounds in the page exit area, since they cannot be played automatically plus their use will prevent the sounds of the following page from being played automatically

2.4 Technology

Web browser application based on HTML and JavaScript. A web server is not required; WBTs can be played / viewed on a local browser (except Chrome and IE).

No installation is necessary; the exported content files are automatically loaded in the browser when the corresponding start file is accessed.

2.5 Installation

No installation necessary, the exported content files are automatically loaded in the browser when the corresponding start file is accessed.

2.6 Storage of training data

Training data can be stored via SCORM, AICC or locally via cookies (i.e. indexedDB for HTML5 content). Student data is stored in a database on a user-specific basis in conjunction with the WebAccess.

SCORM versions 1.2 and 2004 (3rd & 4th edition) are supported.

2.7 Browser settings

To ensure optimal performance, you are advised not to select the "Every visit to the page" browser cache setting.

If using Internet Explorer, the default settings have to be changed as follows in order to deactivate the display of the Information Bar message when accessing a lesson that is stored on the local file system:

Tools > Internet options > "Advanced" tab > Security > select the "Allow active content to run in files on My Computer" checkbox > click the OK button.

Start WBT from CD

To start a WBT from a CD, you also need to select the "Allow active content from CDs to run on My Computer" checkbox on the same tab.

2.8 Use of SmartComponents

SmartComponents in conjunction with the tt player API extend the functional scope of the tt knowledge force player. While playing the WBT, the SmartComponents are loaded once and on demand into the browser cache of the client PC.

Please note that SmartComponents may impact the performance of the tt knowledge force player. Rectification of these issues lies solely in the responsibility of the developer of the SmartComponent in question.

SmartComponents must be placed at their designated position within the tt player. A modification at any other place within the tt player is not allowed.

tts may alter the software, the API (or both) at any time without guaranteeing the playability of existing components.

tts is not obligated to rectify any errors that have the root cause in the SmartComponent or answer any questions / provide support for rectification of these external errors.

If a customer places his/her own SmartComponents within the tt player, the customer acts on his/her own and sole responsibility.

2.9 Network bandwidth used when playing WBTs

For this, four exemplary settings have been defined:

1. MS Office 2007, high-quality simulation, refined graphics
2. MS Office 2007, high-quality simulation, refined graphics, with sound (MP3, 56 kBit/s)
3. SAP basic course, normal simulation depth, little refinement
4. SAP basic course, normal sim. depth, little refinement, with sound (MP3, 56 kBit/s).

The WBTs were worked through by learners, which resulted in the following exemplary values:

Scenario	used time	transferred data	Average transfer rate	Maximal transfer rate
1	7min 43s	5.0 MB download 0.5 MB upload	11.0 kB/s download 1.0 kB/s upload	247.0 kB/s download 38.0 kB/s upload
2	9min 50s	7.5 MB download 0.5 MB upload	12.7 kB/s download 0.8 kB/s upload	293.0 kB/s download 36.8 kB/s upload
3	5min 45s	2.6 MB download 0.3 MB upload	7.8 kB/s download 0.8 kB/s upload	72.2 kB/s download 31.0 kB/s upload
4	11min 44s	5.0 MB download 0.3 MB upload	7.3 kB/s download 0.4 kB/s upload	208.0 kB/s download 34.2 kB/s upload

Hint: Contents 1 and 2, as well as 3 and 4, are identical. The only difference lies in the presence or absence of speaker sounds. In most cases, users will work through WBTs without sound at a quicker pace than WBTs that contain sound. Therefore, versions with sound do not necessarily need a higher bandwidth - as reflected in the test results.

Downloading the WBT player files is done automatically - and only once for all WBTs. Therefore, the test results with activated browser cache are based on the assumption that the WBT player has already been cached.

For comparison only – Test results via http with deactivated browser cache or when accessing the WBT via file server (both methods not recommended):

Scenario	used time	transferred data	Average transfer rate	Maximal transfer rate
1	4min 52s	14.5 MB download 5.6 MB upload	50.6 kB/s download 19.7 kB/s upload	774.0 kB/s download 217.0 kB/s upload
2	10min 19s	23.7 MB download 8.9 MB upload	39.2 kB/s download 14.7 kB/s upload	738.0 kB/s download 260.0 kB/s upload
3	7min 21s	19.1 MB download 6.8 MB upload	44.2 kB/s download 15.8 kB/s upload	742.0 kB/s download 186.0 kB/s upload
4	12min 14s	24.9 MB download 8.5 MB upload	34.7 kB/s download 11.8 kB/s upload	942.0 kB/s download 256.0 kB/s upload

2.10 HTML5 export

Hardware

Component	Requirement
Processor	Minimal: Dual-core from 1.6 GHz Recommended: Quad-core from 2.6 GHz
Memory	Minimal: 1 GB Recommended: 4 GB

Software

Component	Requirement
Operating system	Windows 8 or 8.1 or Windows 10 iOS 14.3 Android 11 Please note that the functionality is tested and verified on reference devices (see below). Support cases must be reproducible on these reference devices.
Browser	Internet Explorer 11 Edge 89 on Windows 10 Firefox 86 Safari 14.0 Chrome 89 Attention: Please note that minor differences in the display of content between Internet Explorer and Firefox, Safari and Chrome might occur. Attention: Please note that due to a browser-security-feature, locally stored content cannot be played back in Internet Explorer and Chrome. Attention: Please note that some differences in the touch-behaviour within the Edge-browser might occur on some mobile Windows devices.
Browser settings	JavaScript and session cookies have to be activated.

Please find the currently supported functions described in detail in the HTML5 Authoring Guidelines.

2.10.1 Reference Devices for Android

- Samsung Tab 3
- Nexus 9
- Nexus 10

3 QuickAccess (QA)

QuickAccess makes use of the Chromium project by Google. In order to ensure the proper execution of the QuickAccess, the operating system and third party security tools need to enable the execution of Chromium processes.

3.1 Software

Component	Requirement
Operating system	Windows 8.1 <ul style="list-style-type: none">- only Windows Desktop, no Metro Interface, no apps- latest Updates need to be installed Windows 10
Additional software	Microsoft Visual C++ Redistributable Package
Free space	~250 MB for program data

3.2 Push Notifications

Please note that push notifications can only be used on Windows 10 operating system.

Please note, that in order to display the notifications properly, certain settings-requirements in Windows 10 need to be met:

- the notification-assistant needs to be turned off
- the setting "Notifications from apps and other senders are to be collected" needs to be turned on
- in addition to the above mentioned general setting, Windows 10 allows for app-specific notifications control. Here notification-collection from QuickAccess needs to be enabled as well.

We recommend using this feature on Windows 10 builds higher than 1804, since in earlier Windows-builds defects in the Windows pop-up-notifications have been reported.

3.3 QA for SAP

Please note that this module is only supported for already existing installations.

3.3.1 Technology

Client-side: A SAPGUI enhancement that is activated via the function modules transported in SAP Basis (package in the /TTS/ namespace). Documents are displayed via a Web browser which is installed on the client system. Server-side: An HTTP request is used to trigger a search for content on the WebAccess and content is then fed to the client via HTTP(s) protocol.

For more information, please refer to our installation guidelines.

3.4 Web-QA

Please note that in case of Internet Explorer the corresponding Web-QA-server (i.e. WebAccess) needs to be added to the trusted sites.

In case of Chrome, which currently is blocking CrossSiteCookies, the corresponding application server needs be configured in such a way, that cookies are processed accordingly. E.g. in case of Tomcat the "Tomcat cookie processor" needs to be adjusted.

3.5 Working with Citrix

Please refer to chapter 1.7 for information on Citrix.

4 Object recognition

4.1 General

In order to provide object recognition in different applications, the product uses interfaces such as Microsoft Active Accessibility (MSAA) or the Java Access Bridge (JAB). Based on those interfaces, we can achieve very high levels of object recognition for the standard applications listed below, as well as for most software and web applications available, without the need to adapt the software and/or configuration.

It is, however, **essential** that the application supports those APIs correctly and provides plausible data.

4.2 Object recognition for standard applications

The following table lists the requirements that need to be met to achieve object recognition during recordings, as well as context identification.

The first column depicts the use case (i. e. the application that is to be recorded) and the second column the requirements for this application that need to be fulfilled.

Software	Version(s) / notes
Microsoft Windows	Windows 8.1 <ul style="list-style-type: none">- only Windows Desktop, no Metro Interface, no apps- latest Updates need to be installed Windows 10 E.g. system programs, system settings, system configuration, desktop, start menu, windows explorer, design settings, network administration, printer setup, program installation, etc.
Microsoft Office	Office 2019, Office 365
Browsers, web-enabled applications in general	Microsoft Internet Explorer 11 Chrome (32-bit) 733 Attention: For recording of Internet Explorer the enhanced protected mode of the Internet Explorer has to be deactivated.
SAPGUI	SAPGUI 7.6* Attention: GUI Scripting must be installed and activated on the client and activated on the server side. sapgui/user_scripting_set_readonly is sufficient, no rights are needed to control SAPGUI. Attention: In combination with Win10 and Win8.1 (Update KB3000850) the Windows "Control Flow Guard" must be deactivated in order to record SAP "in-process". Otherwise the recorder switches to an alternative mode, which will result in slower recording performance.
Java applications	Java 8 (min. update 20 – tested and verified with update 131) OpenJDK 11

Please note that due to a defect in the chrome browser, the accessibility mode cannot be set automatically anymore, so object and context recognition is not possible for the chrome-builds beginning from build #43. As a workaround, the accessibility flag can be set manually.

4.3 Object recognition in SAP GUI

The SAP GUI Scripting interface from SAP is used – and is therefore a prerequisite – for recording and guiding within the SAP GUI. Scripting is activated by default during the SAP GUI installation. Should this not be the case on the client computer, it can be easily installed via the SAP GUI installation.

To ensure object and context recognition in this context, two settings need to be set within the SAP GUI:

1. "Notify When a Script Attaches to a Running GUI" and
2. "Notify When a Script Opens a Connection".

Both need to be **deactivated**. These settings can be found in the GUI Options ("Adjust the local layout" button or via the shortcut Alt+F12->Options menu item) on the "Scripting" tab.

Important note: To ensure an optimal context and object recognition, our product attempts to automatically set the above options - provided that the user possesses the necessary rights. This behavior can be deactivated upon request. Furthermore, SAP GUI Scripting has to be activated on the server side. In order to do so, the profile parameter *sapgui/user_scripting* has to be set to the value *TRUE*. If this is not the case, please proceed in the following way:

1. Call up the RZ11 transaction
2. Enter *sapgui/user_scripting* in the field
3. Click "Change value"
4. As the new value, enter *TRUE*
5. Click "Save".

Please refer to SAP Note No. 480149 for further information.

4.3.1 Security Aspects

For notes on security-related aspects, please refer to the following SAP documentation ("SAP GUI Scripting Security Guide"):

https://help.sap.com/saphelp_nw73ehp1/helpdata/en/49/38dea6c657200be10000000a42189c/content.htm

As the our software only needs read access to the SAP GUI, activating SAP GUI Scripting will not impact security. A more concise description of the security setting can be found in the document given above, from which the following quote was taken:

[...]

Modes for server side protection

The profile parameter described in the previous chapter controls the availability of SAP GUI Scripting in an all-or-nothing kind of way. Some users have asked for a more fine grained

approach. This would allow them to enable only those features of SAP GUI Scripting that are required for their specific application.

In response to these requests we have added two additional profile parameters that modify the behavior of the `sapgui/user_scripting` profile parameter.

`sapgui/user_scripting_disable_recording`

This parameter disables all SAP GUI Scripting events for the system on which it is set. It is still possible to run previously recorded or written scripts. However, it is not possible to record new scripts or log any other type of information in response to SAP GUI Scripting events.

`sapgui/user_scripting_set_readonly`

In SAP GUI Scripting's read only mode only a subset of the API can be used from a script. This comprises read access to properties and calling read only functions.

Please note that the read only restriction applies to the state of the SAP GUI session on the server. This implies that you may not execute any call which changes the data stream sent to the server, even if no actual database update is attempted.

[...]

For the Quick Access, both the `sapgui/user_scripting_set_readonly` and the `sapgui/user_scripting_disable_recording` parameters can be set to TRUE. As described above, the SAP GUI cannot be controlled using Quick Access or any other third-party software. It is also not possible to record user interactions in the SAP GUI. Thus, there is no increased security risk.

In the following section, tts comments on the security-related aspects outlined by SAP (excerpt from the SAP document given above):

[...]

8.0 Security Q&A

1. Can a script corrupt the SAP system's data?

No. All changes done from a script are subject to the same data validation rules as end user interaction.

2. Can a script influence the system performance?

Yes. A script executes significantly faster than an end user, and may therefore put more load onto the system.

Comment by tts: This is not the case, as the `sapgui/user_scripting_set_readonly` parameter can be set to TRUE.

3. Can a script access data for which the end user does not have the necessary privileges?

No. The script has only access to the data to which the end user has access rights.

4. Can a script export data that the end user could otherwise not export?

Yes. Even if the download of a list is not allowed, an end user can extract the data from SAP GUI. Of course, the end user could also create a screen shot instead. SAP GUI Scripting can only export data that is displayed on the screen.

5. *Can a script record end user interaction with SAP GUI?*

Yes. However, the end user will be notified about this, unless he disabled the notification.

Comment by tts: This is not the case, as the `sapgui/user_scripting_disable_recording` parameter can be set to TRUE.

6. *Can a script record passwords?*

No. Therefore, a script cannot be played back if the user running it does not have an account on the SAP system.

7. *Can a script run in the background without the end user's knowledge?*

No. The end user will be notified when the script starts, unless she disabled the notification. In addition, SAP GUI Scripting needs to display SAP GUI for running a script.

8. *Can SAP GUI Scripting be used to corrupt the client PC?*

No. The functionality of SAP GUI Scripting is limited to driving SAP GUI. However, if you use Visual Basic Script and the Windows Script Host to access the SAP GUI Scripting interface, the functionality of the VBS language or the Windows Script Host object model might very well be used to perform arbitrary operations on the client PC.

[...]

Special note when using Quick Access while `"sapgui/user_scripting_set_readonly"` is set to `true`
In this mode, there are two restrictions by design:

- 1) Input values automatically / Smart Link "Enter automatically": Since values can't be entered automatically as a whole per scripting API – ("**read only**"), –, these will be entered into the input fields per Windows keyboard automation key by key. The function therefore is restored but behaves differently for the user and is a little bit slower.
- 2) Activate / focus input fields automatically: This function is also "by design" not available per SAP Scripting. For this reason, there exists a second alternative method in Quick Access which activates the input field via mouse automation. Since the Quick Access, as a default for security reasons, is not allowed to do mouse clicks itself, this has to be explicitly activated in the configuration.

We also note that both functions are there for convenience reasons only, it doesn't pose a problem to use Quick Access without these functions.

Due to known issues in the SAP GUI scripting interface, the following issues can occur during the "read only" mode with object recognition (highlighting the target object):

- Table heads in SAP table controls:

S.. itm	A	I	Material	Short Text	PO Quantity	C

This problem does not occur when using SAPGUI 7.2 with patch level 14 or higher or SAPGUI 7.3 with patch level 2 or higher.

- Buttons in SAP grid views and SAP table tree views:

M	Ty	Title	Alt	A	Date rece	C	R
					G 16.04.2010		
					G 16.04.2010		

This problem does not occur when using SAPGUI 7.2 with patch level 14 or higher or SAPGUI 7.3 with patch level 2 or higher.

- Column marker in SAP table controls:

S.. itm	A	I	Material	Short Text	PO Quantity	O

This does not occur when using SAPGUI 7.3 with patch level 6 or higher.

- Table heads, rows and cells in SAP grid views:

M	Ty	Title	Alt	A	Date rece	C	R
					G 16.04.2010		
					G 16.04.2010		

This does not occur when using SAPGUI 7.3 with patch level 6 or higher.

Hints for these topics can be found in the sap notes 1578980 and 1751279.

4.3.2 Characteristics of F4 help

The SAP GUI scripting interface used does not support F4 help in standard mode (referred to as amodal or control mode). Therefore, a running Quick Access will interrupt the connection to the SAP GUI scripting interface if F4 help is opened, to make sure that the help is opened in amodal mode nonetheless.

Please note that in this variant of F4 help, it is not possible to detect individual table rows as objects, but only the table as a whole (with free selection).

If detecting individual table rows is crucial even in F4 help (which will only be necessary if you need to record the help itself), you have to change the F4 help to modal (dialog based) for all SAP users that use Quick Access. Please proceed as laid out in SAP Note 977584.

For general information on this topic, please see SAP Note 977583.

4.3.3 Object recognition in SAP Netweaver Business Client (NWBC)

Object recognition via the SAP-scripting interface for the NWBC is solely possible with the NWBC Client. If this SAP component is accessed via a browser, the MSAA interface will be used. Since this provides less information, this set-up is not recommended. Please note that object information from the central SAP-content area of the NWBC Client can be retrieved via the SAP-scripting-API. Object information for structural and navigational elements in the left- and upper area cannot be accessed.

Please note, that object recognition in multiple running NWBC instances is not supported.

4.4 Object recognition in cross-platform and cross-language cases

A basic prerequisite for cross-platform object recognition is that the process of the application(s) must be identical and the object name of the interaction object (like input fields, buttons) should match between the systems / platforms.

Please note that context recognition is explicitly ruled out if the GUI language of the recorded application is different from the one found in the live application.

Thus, we advise you, to create separate recordings for each GUI language, as we explicitly do not support cross-language object recognition. Of course, it is possible to use different instruction languages for the same GUI language without the need for a rerecording.

4.5 Object recognition for JAVA applications

To record Java applications, the Java Access Bridge (JAB) is used. It is integrated into the Java runtime environment (JRE) and acts as an interface between native Windows programs and Java applications.

This allows receiving information on control elements within a Java application. Access to the Java Accessibility API is not limited to actual applications, but also encompasses the applets that run within a browser window.

The procedure to be applied when installing JAB depends on the type of JRE installation and may vary from application to application. To determine the correct procedure, please carefully read this entire chapter before commencing the actual installation process.

4.5.1.1 Using centrally installed JREs

Centrally installed JREs can be identified by the fact that they can be found in the 'Add or Remove Programs' (or – since MS Vista – 'Programs and Features') list in the Windows Control Panel. Applications that use such a JRE do not have a 'jre' sub-folder.

In this case, a single installation in the central JRE(s) is fully sufficient. This also applies to applets, as they require a JRE installed in this manner due to browser integration.

4.5.1.2 Applications with a local JRE

Some Java applications use a local JRE that is not contained in the Windows Registry. Such an application is usually not started via a jar file, but instead via an .exe or a .bat file, and the

program folder contains a 'jre' sub-folder. In this case, there usually is no JRE to be found in the 'Add or Remove Programs' / 'Programs and Features' list of the Windows Control Panel.

4.5.1.3 Installing the Java Access Bridge

Manual installation for local JREs:

- Locate the JRE that is used by the application.
- Switch over to the JRE's 'jre\lib' directory.
- Copy the accessibility.properties file into this folder. Should the file already exist in this folder, you need to merge the files so that the file that already exists also includes the contents of the appropriate JAB installation file.
- Switch over to the JRE's 'jre\lib\ext' directory.

Copy the following files into this directory:

- *access-bridge.jar* and one of the following additional files
- *jaccess-1_2.jar* for Java 2 Version 1.2.x **or**
- *jaccess-1_3.jar* for Java 2 Version 1.3.x **or**
- *jaccess-1_4.jar* for Java 2 Version 1.4.x (or higher).

Install the JAB Windows DLLs:

- *JavaAccessBridge.dll*
- *JAWTAccessBridge.dll*
- *WindowsAccessBridge.dll*
- for a **32-bit Windows**, copy the DLLs mentioned above into the *Windows\System32* directory
- for a **64-bit Windows**, copy the DLLs into the *Windows\SysWow64* directory.

4.5.2 JAB for Java 8

For these Java versions the JAB that is provided with the corresponding JRE is used. No additional installation is required. By default the access bridge is disabled.

For each installed JRE the JAB can be individually activated via the file "accessibility.properties". The assistive technologies property specifies the assistive technologies to load into the JVM. It takes a comma-separated list as input. For example, if you set this property to "com.sun.java.accessibility.AccessBridge", the Java Access Bridge is enabled.

Availability of JAB versions:

2.0.0: is provided along with tts performance suite client package

2.0.4: is provided along with standard JRE 7 Update 60

1.8: is provided along with standard JRE 8 Update 20

Compatibility overview:

	JAB 2.0.0	JAB 2.0.4	JAB 1.8
Java 8	✗	(✓)*	✓

* JAB 2.0.4 is delivered with JRE 8 until update 20

4.6 Object recognition for third-party and custom-built applications

As outlined above, object recognition works for most software products available for Microsoft Windows, as well as for custom software, due to the fact that the MSAA interface is usually available and supported with no extra effort.

In most cases, this also holds true if the software in question was developed using Microsoft products such as MS NET, Visual C++ and/or Visual Basic, or if Microsoft Common Controls are used.

5 Curator

5.1 Minimal requirements

The Curator depicts the browser-based access to the "Document Management area" of the tt knowledge performance suite.

In order to use this, the corresponding server needs to be installed and running. For the requirements that need to be met on the server side, please refer to chapter 6.

Should any of the requirements defined herein not be met, the proper functioning of the Curator cannot be guaranteed and there exists no claim to establish this.

5.2 Software

Component	Requirement
Operating system	Windows 8 and 8.1 or Windows 10
Browser	Internet Explorer 11 Firefox 86 Attention: Please note that due to the different technological basis, minor differences in the display of content between Internet Explorer and Firefox might occur. Attention: Please note that display-magnifications above 100% are not supported.
Browser settings	JavaScript and session cookies have to be activated.

5.3 Hardware

Component	Requirement
Processor	Minimal: Single-core 2.6GHz Recommended: Dual-core 2.6GHz Please note that these are average values and that the required hardware is strongly dependent on the use case, i. e. the expected number of authors / end users, respectively.
Memory	Minimal: 512 MB Recommended: 2 GB Please note that these are average values and that the required hardware is strongly dependent on the use case, i. e. the expected number of authors / end users, respectively. These values depict the amount of RAM that should be available for the Java process.

6 Server components

6.1 Hardware

Component	Requirement
Processor	Minimal: Single-core 2.6 GHz Recommended: Dual-core 2.6 GHz (for Curator) Quad-core 2.6 GHz (for WebAccess) Please note that these are average values and that the required hardware is strongly dependent on the use case, i. e. the expected number of authors / end users, respectively.
Memory	Minimal: 2 GB Recommended: 4 GB Please note that these are average values and that the required hardware is strongly dependent on the use case, i. e. the expected number of authors / end users, respectively. These values depict the amount of RAM that should be available for the Java process.
Hard drive	200 MB for program data Repository: ~ 1 GB / 500 Documents Database: ~ 100 MB / 500 Documents Attention: These values represent averages! The actual amount of data can vary greatly, depending on the complexity and media-richness of the stored objects. Attention: If version management is activated, the amount of required disk space is increased significantly. For a rough estimate, multiply the values given above with the average number of document versions. Attention: For optimal performance, we recommend the use of SSD hard drives.

6.2 Software

Component	Requirement
-----------	-------------

Operating system	Windows Server 2011 or Windows Server 2012 or Windows Server 2012 R2 Windows Server 2016 Windows Server 2019 Linux
Browser settings	JavaScript and session cookies have to be activated.
Permissions	Administrator-rights are required for the installation.
Application server	Apache Tomcat 9 JDK11 OpenJDK 11 Attention: The corresponding Java Development Kit (JDK) needs to be installed on the server; the Java Runtime Environment (JRE) alone is not sufficient.
Database	MSSQL Server 2017 MSSQL Server 2019 Oracle 18c Oracle 19c Attention: Please note that the database tables need to be UTF-8 encoded.
Storage Service	MinIO v2021.01.16
Reverse Proxy (optional)	Tomcat connector for Apache HTTP Server (mod_jk or mod_proxy_ajp) Attention: Tomcat connector for Microsoft IIS (ISAPI Redirector) is not supported.

6.3 Technology

Server application based on the Java Enterprise Edition (JEE) framework Oracle.

6.4 Installation

Attention: In order to upload content created in the authoring environment to the server component, all components that take part in the network communication (e. g. proxy, VPN software, etc.) must support HTTP 1.1 incl. chunked transfer coding.

Please note that the http-communication to the server needs to be either http or https exclusively; a mixed scenario (http along with https) is not supported. We do recommend to use https.

For "search-functionality" within Curator and WebAccess we require a Solr 8.7 being available.

6.5 LDAP

The following section lists the known restrictions of the provided LDAP interface:

- Only "internal" authentication with user name and password is supported. Alternative mechanisms in accordance with SASL (RFC 2222) are not possible.
- Start-TLS (RFC-2830) is currently not supported.
- LDAP groups have to be associated to user entries. Users associated with groups are not supported.

6.6 SAML

SAML is supported in the version 2.0. With respect to the bindings, the tts performance suite supports "HTTP POST".

6.7 Third-party software

FortiClient

It is a known issue that if the FortiClient virus scanner is installed on the operating server, statification of WBTs is not possible.

McAfee

Please note that a locally used virus scanner from McAfee may reduce the performance of the authoring component.

You are advised to change the anti-virus program's settings so the TT Knowledge Force installation folder is excluded from the scanning process.

HP Quicktest

Please note that HP Quicktest can only be installed in parallel with the authoring software under specific conditions: the user, under which the authoring software is launched, may not have reading permissions on the folder in which the Quicktest executable resides.

HP Sprinter

Please note that the installation will cause write access problems to the Producer profile folder which may result in a failure to load the WYSIWYG view.

Check Point

Please note that the virus scanner from Check Point End Security may strongly reduce the performance of the Producer.

Desktop Management Software

In case of using multiple monitors supported by desktop management software (for instance ATI Hydravision), this can cause problems with the object recognition during (re-)recording and guiding through applications.

Bamboo Drivers

As soon as Bamboo-drivers for drawing tablet and the corresponding pen are installed these drivers will interfere with the correct display and object-recognition of the Quick Access.

Microsoft Snipping Tool

As long as this tool is running it will interfere with correct object-recognition needed for recording.

Microsoft Security Policies

If you experience problems with editing in the WYSIWYG View (i.e. no editing possible) please check if the MS Security Policy "Local Machine Lockdown" is enabled. If so, please disable this policy.

7 Open-source products

7.1 Server

Name	Version	License	Link
ANTLR	2.7.7	<u>BSD</u>	http://www.antlr2.org/
XMP Library for Java	6.0.6	<u>BSD</u>	http://www.adobe.com/devnet/xmp.html
Amazon AWS SDK	sdk-cloudwatch:1.11.641 sdk-core:1.11.641 sdk-core:1.11.710 sdk-kms:1.11.710 sdk-s3:1.11.710 jmespath-java:1.11.641 jmespath-java:1.11.710	<u>Apache License 2.0</u>	https://github.com/aws/aws-sdk-java
Metadata Extractor	2.12.0 2.6.2	<u>Apache License 2.0</u>	https://github.com/drewnoakes/metadata-extractor
Jackson	jackson-annotations:2.6.0 jackson-annotations:2.9.5 jackson-annotations:2.10.0 jackson-core:2.6.7 jackson-core:2.9.5 jackson-core:2.10.0 jackson-databind:2.6.7.3 jackson-databind:2.8.11.3 jackson-databind:2.9.5 jackson-databind:2.10.0	<u>Apache License 2.0</u>	http://wiki.fasterxml.com/JacksonHome

	jackson-dataformat-cbor:2.6.7 jackson-module-jsonSchema:2.9.9		
ClassMate	1.3.4 1.5.1	Apache License 2.0	http://github.com/FasterXML/java-classmate
Caffeine Cache	2.8.0	Apache License 2.0	https://github.com/ben-manes/caffeine
WAFFLE JNA	2.1.0	EPL	http://dblock.github.com/waffle/
FindBugs JSR305	3.0.2	Apache License 2.0	http://findbugs.sourceforge.net/
Error Prone Annotations	2.3.2 2.3.3	Apache License 2.0	
Google Guava	1.0.1 28.1-jre	Apache License 2.0	https://github.com/google/guava
J2ObjC Annotations	1.3.0	Apache License 2.0	https://github.com/google/j2objc/
Google DiffMatchPatch	0.0.0-20120106	Apache License 2.0	https://code.google.com/p/google-diff-match-patch/
Jayway JSON Path	2.4.0	Apache License 2.0	https://github.com/jayway/JsonPath
C3P0	0.9.5.3	GNU LGPL 2.1, EPL 1.0	https://github.com/swaldman/c3p0
Mchange Commons Java	0.2.15	GNU LGPL 2.1, EPL 1.0	https://github.com/swaldman/mchange-commons-java
Java Inject	1.0.0	Apache License 2.0	
CGLib	2.2.0	Apache License 2.0	https://sourceforge.net/projects/cglib/
Apache XML Commons	2.7.1	Apache License 2.0	https://xml.apache.org/xalan-j/downloads.html

Serializer			
Apache Struts	1.2.9	Apache License 2.0	http://struts.apache.org/
Xalan Java	2.7.1	Apache License 2.0	https://xml.apache.org/xalan-j/downloads.html
SpringSource LogicalCobwebs Proxool	0.9.1		
Simple API for CSS	1.3.0	W3C	https://www.w3.org/Style/CSS/SAC/
Castor	1.2.0	Apache License 2.0	http://castor-data-binding.github.io/castor/
JDOM	1.1.0	Apache-style open source license	http://jdom.org/
Objenesis	1.2.0	Apache License 2.0	http://objenesis.org/ (and see below)
Jakarta Activation	1.2.2	EDL v1.0	https://jakarta.ee/specifications/activation/1.2/
Istack Common Utility Code Runtime	3.0.7	CDDL 1.1, GPL2 w/CPE	
JavaMail API	1.6.2	CDDL/GPLv2 +CE	
Old JAXB	jaxb-core:2.3.0.1 jaxb-impl:2.3.2	CDDL+GPL License	
FastInfoset	1.2.15	Apache License 2.0	http://fi.java.net/
Jakarta SOAP Implementation	1.5.2	EDL v1.0	
ArchUnit	0.11.0	Apache License 2.0	https://github.com/TNG/ArchUnit

HikariCP Java6	2.4.13	<u>Apache License 2.0</u>	<u>https://github.com/brettwooldridge/HikariCP</u>
Apache Commons	commons-beanutils:1.9.4 commons-codec:1.11 commons-collections:3.2.2 commons-digester:2.1 commons-fileupload:1.4 commons-io:2.2 commons-io:2.5 commons-io:2.6 commons-lang:2.6 commons-logging:1.1.1 commons-logging:1.1.3 commons-logging:1.2	<u>Apache License 2.0</u>	<u>http://commons.apache.org/</u>
User Agent Utils	1.21	<u>New BSD License</u>	<u>https://github.com/HaraldWalker/user-agent-utils</u>
Dropwizard Metrics	4.0.6	<u>Apache License 2.0</u>	
Micrometer	micrometer-core:1.3.0 micrometer-core:1.3.5 micrometer-registry-cloudwatch:1.3.5 micrometer-registry-jmx:1.3.5 micrometer-registry-prometheus:1.3.5 micrometer-spring-legacy:1.3.5	<u>Apache License 2.0</u>	<u>https://github.com/micrometer-metrics/micrometer</u>
Netty	4.1.42.Final	<u>Apache License 2.0</u>	<u>http://netty.io/</u>
Prometheus Java Simplecli	simpleclient:0.7.0 simpleclient_common:0.7.0	<u>Apache License 2.0</u>	

ent			
Vavr	0.10.0, 0.10.2	<u>Apache License 2.0</u>	http://vavr.io/
Jakarta SOAP with Attachments API	1.4.2	<u>EDL v1.0</u>	https://github.com/eclipse-ee4j/saaj-api
JavaBeans Activation Framework	1.1	<u>CDDL 1.0</u>	http://java.sun.com/javase/technologies/desktop/javabeans/jaf/index.jsp
JavaBeans Activation Framework API	1.2.0	<u>CDDL/GPLv2 +CE</u>	
Javax Annotation API	1.3.2	<u>CDDL/GPLv2 +CE</u>	
JSR 352 API	1.0	<u>Apache License 2.0</u>	
Expression Language 3.0 API	3.0.0	<u>CDDL/GPLv2 +CE</u>	
JavaMail API JAR	1.6.2	<u>CDDL/GPLv2 +CE</u>	
Javax Persistence API	2.2	<u>EPL v1.0, EDL v1.0</u>	
JavaServer Pages API	javax.servlet.jsp.jstl-api:1.2.2 javax.servlet.jsp-api:2.3.3	<u>CDDL/GPLv2 +CE</u>	http://jcp.org/en/jsr/detail?id=52 https://javaee.github.io/javaee-jsp-api
Java Servlet API	3.1.0	<u>CDDL/GPLv2 +CE</u>	
Bean	2.0.1.Final	<u>Apache License</u>	http://beanvalidation.org/

Validation API		<u>2.0</u>	
JAXB API	2.3.1	<u>CDDL 1.1, GPL2 w/CPE</u>	
Joda Time	2.8.1, 2.10.4	<u>Apache License 2.0</u>	http://www.joda.org/joda-time/
JUnit 4	4.12	<u>EPL 1.0</u>	http://junit.org/
Apache Log4J	1.2.17	<u>Apache License 2.0</u>	https://logging.apache.org/log4j/1.2/index.html
Byte Buddy	1.9.10 1.10.10 1.9.10	<u>Apache License 2.0</u>	
Java Native Access	jna:5.4.0 jna-platform:5.4.0	<u>LGPL v2.1, Apache License 2.0</u>	https://github.com/java-native-access/jna
Zip4J	2.1.1	<u>Apache License 2.0</u>	https://github.com/srikanth-lingala/zip4j
JSON Smart	2.3 1.2	<u>Apache License 2.0</u>	https://netplex.github.io/json-smart/
Ehcache	2.10.6	<u>Apache License 2.0</u>	http://ehcache.org/
Sitemesh	2.4.2	<u>Apache License 1.1</u>	http://www.opensymphony.com/sitemesh/
Apache Commons	codec:1.6.0 commons-collections4:4.4 commons-math3:3.6.1 compress:1.8.1	<u>Apache License 2.0</u>	http://commons.apache.org/
Apache HttpComponents	httpclient:3.1.0 httpclient.4.5.3 httpclient.4.5.9 httpclient:4.5.10 httpcore:4.4.6 httpcore:4.4.11 httpcore:4.4.12 httpmime:4.5.3 httpmime:4.5.10	<u>Apache License 2.0</u>	https://hc.apache.org/
Apache XML	1.5.8	<u>Apache License 2.0</u>	https://santuario.apache.org/

Security for Java			
Apache Solr Solrj	8.7.0	Apache License 2.0	https://lucene.apache.org/solr/
Apache Taglib	1.2.5	Apache License 2.0	https://tomcat.apache.org/taglibs/index.html
Apache Velocity	1.7	Apache License 2.0	https://velocity.apache.org/engine/index.html
XmlSchema Core	2.2.5	Apache License 2.0	
Apache Batik	1.11	Apache License 2.0	https://xmlgraphics.apache.org/batik/
Apache XML Graphics Commons	2.3	Apache License 2.0	http://xmlgraphics.apache.org/commons/
Apache Yetus Audience Annotations	0.5.0	Apache License 2.0	
Apache Zookeeper	3.5.6	Apache License 2.0	https://zookeeper.apache.org/
Apiguardian API	1.0.0	Apache License 2.0	https://github.com/apiguardian-team/apiguardian
AspectJ	aspectjrt:1.9.4 aspectjweaver:1.9.4	EPL v1.0	http://www.aspectj.org/
Awaitility	4.0.1	Apache License 2.0	http://awaitility.org/
Bouncy Castle	1.63	MIT	http://www.bouncycastle.org/java.html
Checker Qual	2.8.1 2.10.0	MIT	https://checkerframework.org/
Old Jackson	1.9.13	Apache License 2.0	http://jackson.codehaus.org/
Jettison	1.2	Apache License 2.0	

Animal Sniffer Annotations	1.18	<u>MIT</u>	
Stax2 API	3.1.4	<u>BSD</u>	http://wiki.fasterxml.com/WoodstoxStax2
Woodstox	4.4.1	<u>Apache License 2.0</u>	http://woodstox.codehaus.org/
Dom4J	2.1.3	-	http://dom4j.github.io/
EasyMock	4.0.2	<u>Apache License 2.0</u>	
Apache Freemarker	2.3.29	<u>Apache License 2.0</u>	http://freemarker.org/
JAXB	2.3.1	<u>CDDL+GPL License</u>	
Expression Language 3.0	3.0.0	<u>CDDL/GPLv2 +CE</u>	http://el-spec.java.net/
Hamcrest	hamcrest:2.1 hamcrest-core:1.3	<u>BSD License 3</u> <u>BSD License 2</u> <u>BSD License 2</u>	http://hamcrest.org/JavaHamcrest/
HdrHistogram	2.1.11	<u>CC0</u>	http://hdrhistogram.github.io/HdrHistogram/
Hibernate	hibernate-core:5.4.15 hibernate-commons-annotations:5.1.0	<u>LGPL 2.1</u>	http://hibernate.org/orm
Hibernate Validator	6.0.17	<u>Apache License 2.0</u>	http://hibernate.org/validator/
HSQLDB	2.5.0	<u>HSQLDB License (BSD)</u>	http://hsqldb.org/
Javassist	3.24.0-GA, 3.26.0-GA	<u>MPL 1.1</u> , <u>LGPL 2.1</u> , <u>Apache License 2.0</u>	http://www.javassist.org/
JBoss Logging 3	3.3.2	<u>Apache License 2.0</u>	http://www.jboss.org/

JBoss Transaction API	1.1.1.Final	<u>CDL, GPL v2</u>	
Java Annotation Indexer	2.1.3.Final	<u>Apache License 2.0</u>	
JDBDT	1.2.4	<u>MIT</u>	http://jdbdt.org/
JSON	20190722	http://json.org/license.html	https://github.com/douglascrockford/JSON-java
JSoup Java HTML Parser	1.12.1	<u>MIT</u>	https://jsoup.org/
JUnit 5	5.4.1	<u>EPL v2.0</u>	https://junit.org/junit5/
JUnit Platform	1.4.1	<u>EPL v2.0</u>	https://junit.org/junit5/
Extended StAX API	1.8, 1.8.3	<u>CDDL+GPL License</u>	
LatencyUtils	2.0.3	<u>CC0 1.0</u>	http://latencyutils.github.io/LatencyUtils/
Mockito	3.1.0	<u>MIT</u>	https://github.com/mockito/mockito
Noggit	0.8	<u>Apache License 2.0</u>	https://github.com/yonik/noggit
Objenesis	3.0.1	<u>Apache License 2.0</u>	http://objenesis.org/
OpenSAML	opensaml:2.6.5 openws:1.5.5 xmltooling:1.4.6	<u>Apache License 2.0</u>	https://wiki.shibboleth.net/confluence/display/OpenSAML/Home/
Opentest4j	1.2.0	<u>Apache License 2.0</u>	https://github.com/ota4j-team/opentest4j
ASM	5.0.4	<u>BSD</u>	
Project Lombok	1.18.8	<u>MIT</u>	https://projectlombok.org/
Quartz Job Scheduler	2.3.1	<u>Apache License 2.0</u>	http://www.quartz-scheduler.org/
SLF4J	jcl-over-slf4j:1.7.24 slf4j-	<u>MIT</u>	http://www.slf4j.org/

	api:1.7.24 slf4j- api:1.7.25 slf4j- api:1.7.28 slf4j- log4j12:1.7.25 slf4j- log4j12:1.7.28		
Spring Batch	4.2.0.RELEASE	Apache License 2.0	http://projects.spring.io/spring-batch/
Spring Boot	1.5.22.RELEASE	Apache License 2.0	http://projects.spring.io/spring-boot/
Spring REST Docs	2.0.4.RELEASE	Apache License 2.0	https://github.com/spring-projects/spring-restdocs
Spring Retry	1.2.4.RELEASE	Apache License 2.0	http://www.springsource.org/
Spring OAUTH	2.3.7.RELEASE	Apache License 2.0	
Spring Security	5.1.6.RELEASE	Apache License 2.0	http://spring.io/spring-security
Spring WS	3.0.7.RELEASE	Apache License 2.0	
Spring	5.1.10.RELEASE +beans & test: 5.1.5.RELEASE	Apache License 2.0	https://github.com/spring-projects/spring-framework
Ion Java	1.0.2	Apache License 2.0	https://github.com/amznlabs/ion-java/
JSON Taglib	0.4.1	Apache License 2.0	http://json-taglib.sourceforge.net
Not Yet Common SSL	0.3.11	Apache License 2.0	http://juliusdavies.ca/commons-ssl/
Google XMemCached	1.4.1	Apache License 2.0	https://code.google.com/archive/p/xmemcached/
HTML Cleaner	2.7	BSD	http://htmlcleaner.sourceforge.net/
Apache POI	4.0.0	Apache License 2.0	http://jakarta.apache.org/poi/
OWASP Enterprise Security	2.0.1	BSD, CC BY-SA 3.0	http://www.esapi.org/

API			
Imgscalr	4.2.0	Apache License 2.0	http://www.thebuzzmedia.com/software/imgscalr-java-image-scaling-library/
JGroups	2.7.0-GA	Apache License 2.0	http://www.jgroups.org/
XMLUnit for Java	1.3.0	BSD	http://xmlunit.sourceforge.net/
WSDL4J	1.6.3	CPL 1.0	http://sf.net/projects/wsdl4j
Apache Xerces XML Support	2.12.0	Apache License 2.0	https://xerces.apache.org/xerces-j/
XML Commons External Components XML APIs Extensions	xml-apis:1.4.01 xml-apis-ext:1.3.04	Apache License 2.0	http://xml.apache.org/commons/components/external/

7.1.1 Javascript Libraries

Name	Version	License	Link
jQuery	1.1.3.1 1.8.2 2.1.4	MIT	http://jquery.com/
jQuery-UI	1.10.3	MIT	
jQuery-touchwipe	1.1.1	MIT	
jQuery UI Tag-it	2.0	MIT	
jQuery mousewheel	3.0.6	MIT	
jQuery mcustomscrollbar	2.3.2	MIT	
jQuery infinitesroll	2.0b2.120519	MIT	
jQuery Hammer	1.0.6	MIT	
jQuery Clearable Text Field	0.3.2	MIT	

jQuery Caret	1.0.2	MIT	
jQuery autosize	1.17.2	MIT	
iScroll	4.1.9	MIT	
Bootstrap: carousel.js	3.1.0	MIT	
TabFocus	1.0	Free for private and commercial use	
jQuery Fileupload	5.19.7	MIT	
json2.js	2012-10-08	Public Domain	http://www.JSON.org/js.html
prototype	1.6.1 1.7.1	MIT	http://www.prototypejs.org/
hashmap.js	-	BSD	
zip.js	-	BSD	http://gildas-lormeau.github.com/zip.js/
tiny_mce.js	3.1.1	<u>GNU LGPL 2.1</u>	
sock.min.js	1.1.4	MIT	http://sockjs.org
stomp.min.js	-	<u>Apache License 2.0</u>	http://www.jmesnil.net/stomp-websocket/doc/
polymer	1.0.6	<u>BSD</u>	https://www.polymer-project.org
mediator-js	0.9.7	<u>MIT</u>	https://github.com/ajacksified/Mediator.js
node-uuid	1.4.1	<u>MIT</u>	https://github.com/broofa/node-uuid
jQuery.dotdotdot	1.7.2	<u>MIT</u>	http://dotdotdot.frebsite.nl
@babel/polyfill	7.7.0		
uppy	1.4.0	MIT	https://github.com/transloadit/uppy
@uppy/locales	1.11.5	MIT	
adm-zip	0.4.13	MIT	https://github.com/cthackers/adm-zip
chunked-file- reader	0.0.3	MIT	
fromentries	1.2.0	MIT	
isomorphic-fetch	2.2.1	MIT	
original-fs	1.1.0	LGPL-3.0	

redux	4.0.4	MIT	
spark-md5	3.0.0	WTFPL	

7.2 Client

Name	Version	License	Link
Java Servlet API	3.1.0	CDDL1	https://java.net/projects/servlet-spec/
Eclipse	3.5.0	Eclipse Foundation Software User Agreement	http://www.eclipse.org/
Spring	3.2.4	https://pivotal.io/terms-of-use	http://spring.io/
Java Mail	1.4.1	CDDL1	https://java.net/projects/glassfish/javaee5/mail/
Java Inject	1.0.0	Apache License 2.0	
Java Native Access	4.1.0	Apache License 2.0	https://github.com/java-native-access/jna
Google Guice	4.2.0	Apache License 2.0	https://github.com/google/guice
Google Guava	28.1-jre	Apache License 2.0	https://github.com/google/guava
Google Soundlibs	1.9.5	Apache License 2.0	https://github.com/pdudits/soundlibs
Saxon	8.8.0	Mozilla Public License	http://saxon.sourceforge.net/ (see Saxon B)
Jaxen	1.1.1	The Werken Company License	http://www.jaxen.org/
Jackson	jackson:2.5.3 jackson-asl:1.9.9	Apache License 2.0	http://wiki.fasterxml.com/JacksonHome
JSON	1.1.0	Public Domain	http://www.JSON.org/
JSON Smart	1.2.0	-	https://netplex.github.io/json-smart/
Jayway JSON Path	0.9.1	Apache License 2.0	https://github.com/jayway/JsonPath

Apache Commons	io:2.5 codec:1.6.0 compress:1.8.1 collections:3.2.1 lang:2.4.0 logging:1.1.1 bcel:5.2.0 xml:1.3.4	Apache License 2.0	http://commons.apache.org/
Apache ServiceMix	2.0.3	Apache License 2.0	http://servicemix.apache.org/index.html
Apache HttpClient	4.5.9	Apache License 2.0	https://hc.apache.org/
Apache Jakarta POI	3.8.0	Apache License 2.0	http://jakarta.apache.org/poi/
Apache XML Commons	1.2.0	Apache License 2.0	https://xerces.apache.org/xml-commons/components/resolver/
Apache Xalan XML Serializer	2.7.1	Apache License 2.0	https://xml.apache.org/xalan-j/downloads.html
Apache Xerces XML Support	2.9.1	Apache License 2.0	https://xerces.apache.org/xerces-j/
Apache Regular Expression Library	1.5.0	Apache License 2.0	https://jakarta.apache.org/regexp/index.html
Apache Ant	1.8.1	Apache License 2.0	https://ant.apache.org/
Apache Batik	1.7.0	Apache License 2.0	https://xmlgraphics.apache.org/batik/
Apache	1.2.16	Apache License 2.0	https://logging.apache.org/log4j/

Log4J			1.2/index.html
Apache Groovy	2.0.1	Apache License 2.0	http://groovy-lang.org/download.html
AspectJ	1.6.12	EPL	http://www.aspectj.org
Code Generation Library	2.2.0	Apache License 2.0	https://sourceforge.net/projects/cglib/
Antlr	2.7.7	http://wwwantlr2.org/license.html	http://www.antlr2.org/
JTidy	0.0.0-r938	http://jtidy.sourceforge.net/license.html	http://jtidy.sourceforge.net/
Objenesis	1.2.0	Apache License 2.0	http://objenesis.googlecode.com/svn/docs/index.html
JSoup	1.5.2	MIT	https://jsoup.org/
SAC	1.3.0	https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231	https://www.w3.org/Style/CSS/SAC/
Castor	1.2.0	Apache License 2.0	http://castor-data-binding.github.io/castor/
AOP Alliance	1.0.0	Public Domain	http://aopalliance.sourceforge.net/
HTML Cleaner	2.7.0	BSD	http://htmlcleaner.sourceforge.net/
Hibernate Validator	4.2.0	Apache License 2.0	http://hibernate.org/validator/
Equals Verifier	1.7.5	Apache License 2.0	https://github.com/jqno/equalsverifier
JDeferred	1.2.3	Apache License 2.0	https://github.com/jdeferred/jdeferred
JDOM	1.1.0 and 2.0.5	Apache-style open source license	http://jdom.org/
Java Hamcrest	1.3.0	BSD-3-Clause	http://hamcrest.org/JavaHamcrest/
ObjectWeb ASM	1.5.3	http://asm.ow2.org/license.html	http://asm.ow2.org/
Joda Time	2.10.4	Apache License 2.0	http://www.joda.org/joda-time/
SLF4J	1.7.7	http://www.slf4j.org/license.html	http://www.slf4j.org/

Hunspell	1.3.2	<u>LGPL</u>	http://hunspell.github.io/
JACOB - Java COM Bridge	1.17	<u>LGPL</u>	https://sourceforge.net/projects/jacob-project/
LAME	3.97	<u>LGPL</u>	http://lame.sourceforge.net/
MP3 SPI for Java™Sound	1.9.5	<u>LGPL</u>	http://www.javazoom.net/mp3spi/mp3spi.html
Java Access Bridge (optional for recording)	2.0.4, 2.0.5, 7.0.760.13, , 8.0.20.26, 8.0.40.26	<u>Oracle Binary Code License Agreement</u>	http://www.oracle.com/technetwork/ork/articles/javase/index-jsp-136191.html
CXImage	6.0.0	<u>zlib/libpng License (Zlib)</u>	http://www.xdp.it/cximage.htm
libpng	1.2.24	<u>libpng license</u>	http://www.libpng.org/
TinyXML L++	2.5.3	<u>MIT/ZLib</u>	https://github.com/rjpcomputing/ticpp
Zlib	1.2.3	<u>ZLib</u>	http://www.zlib.net/
Tessdll	2.04	<u>Apache License 2.0</u>	https://github.com/tesseract-ocr/tesseract
Crypto++	5.6.3	<u>Boost Software License 1.0</u>	http://www.cryptopp.com/
Polymer	1.0.6	<u>BSD</u>	https://www.polymer-project.org
Mediator Js	~0.9.7	<u>MIT</u>	https://github.com/ajacksified/Mediator.js
jQuery	~2.1.1	<u>MIT</u>	http://jquery.com/
jQuery.d otdotdot	1.7.2	<u>MIT</u>	http://dotdotdot.frebsite.nl
jquery-simple-combobox	1.1.16	<u>MIT</u>	https://github.com/ivkremer/jquery-simple-combobox
node-uuid	~1.4.1	<u>MIT</u>	https://github.com/broofa/node-uuid
Chromiu	Producer:	<u>BSD</u>	https://bitbucket.org/chromiume

m Embedde d Framewo rk	77.1.11.0 QuickAcc ess: 81.2.25.0		mbedded/cef
Chromiu m	Producer: 77.0.3865. 90 QuickAcc ess: 81.0.4044. 113	BSD , LGPL , MIT	http://www.chromium.org/Hom e
C++ REST SDK	2.10.4	Apache License 2.0	https://github.com/Microsoft/cpp restsdk
Juniversa lchardet	2.0.0	Mozilla Public License 1.1	https://github.com/albfernandez/ juniversalchardet
JCrop	2.0.4	MIT	http://deepliquid.com/content/Jc rop.html
Internatio nal Compone nts for Unicode (ICU)	4.0.1	IBM ICU License	http://site.icu-project.org/
JSMS (JavaScri pt Message Service)	1.0.10	MIT	https://github.com/rfruesmer/js ms
JSMS Chromiu m Extensio n	1.1.6	MIT	https://github.com/rfruesmer/js ms-ext-chromium
Vue	2.6.10	MIT	https://vuejs.org/
Vuetify	2.1.0	MIT	https://vuetifyjs.com/en/
WinToast	1.2.0	MIT	https://github.com/mohabouje/ WinToast

Boost	1.71	https://www.boost.org/users/license.html (Boost Software License)	https://www.boost.org/
-------	------	--	---

7.3 Default Player

Name	Version	License	Link
iScroll	4.1.9	MIT	http://cubiq.org/iscroll-4
jQuery	1.12.4	MIT	http://jquery.com/
RequireJS	2.1.9	MIT or BSD	http://requirejs.org/
XRegExp	2.2.0	MIT	http://xregexp.com/

7.4 HTML5-Player

Name	Version	License	Link
HammerJs	2.0.8	MIT	http://hammerjs.github.io/
jPlayer	2.9.2	MIT	http://www.jplayer.org
jQuery	1.12.4	MIT	http://jquery.com/
Log4Javascript	1.4.9	Apache License 2.0	http://log4javascript.org/
MediatorJs	0.9.8	MIT	https://github.com/ajacksified/Mediator.js
RequireJS	2.3.3	MIT or BSD	http://requirejs.org/

7.5 Step List-Editor

Name	Version	License	Link
JSMS (JavaScript Message Service)	1.0.16	MIT	https://preview.npmjs.com/package/jsms
JSMS Chromium Extension	1.1.13	MIT	
Vue	2.6.11	MIT	https://vuejs.org/
vue-class-component	7.2.3	MIT	https://github.com/vuejs/vue-class-component
vue-advanced-cropper	0.16.1	MIT	https://norserium.github.io/vue-advanced-cropper/
vue-i18n	8.15.5	MIT	https://github.com/kazupon/vue-i18n

vue-js-toggle-button	1.3.3	none	https://www.npmjs.com/package/vue-js-toggle-button
vue-property-decorator	9.0.0	<u>MIT</u>	https://www.npmjs.com/package/vue-property-decorator
vue-shortkey	3.1.7	<u>MIT</u>	https://www.npmjs.com/package/vue-shortkey
Vuetify	2.3.9	<u>MIT</u>	https://vuetifyjs.com
quill	1.3.7	<u>BSD 3</u>	https://www.quill.org/
uuid	8.1.0	<u>MIT</u>	https://www.npmjs.com/package/uuid
axios	0.20.0	<u>MIT</u>	https://github.com/axios/axios